LINGENFELTER SURVEYING, LLC PROFESSIONAL LAND SURVEYING

Boundary description of a 99.349 acre parcel:

24-003

Situated in the Township of Plain, T-19N; R-14W, Southeast Quarter of Section 3, County of Wayne, and State of Ohio:

Known as being the lands conveyed to James A. Mowrey by Official Record Volume 689; Page 188 of Wayne County Records and further bounded and described as follows:

Beginning at a stone guarded with a 5/8 inch rebar on it's north side being the northwest corner of the Southeast Quarter of Section 3;

THENCE WITH THE FOLLOWING FOUR (4) COURSES:

- 1. S 89° 38' 36" E, 2117.69 feet along the quarter section line and the Grantor's northerly line to a 5/8 inch rebar with I.D. cap "Rudolph" found;
- 2. S 00° 17' 08" W, 2186.74 feet along the Grantor's easterly line and the westerly line of the lands conveyed to June Peebles by Official Record Volume 947, Page 354 of Wayne County Records to a point in Old Lincoln Way, (County Road 30-A), witnessed by a capped rebar set N 00° 17' 08" E, 30.00 feet;
- 3. N 81° 52' 55" W, 2140.26 feet along the Grantor's southerly line and with Old Lincoln Way to a 4 inch survey spike set on the quarter section line, in the intersection with Rathburn Road, (Township Road 107), and witnessed by a capped rebar set S 00° 21' 52" W, 30.00;
- 4. N 00° 21' 52" E, 1897.71 feet along the quarter section line, with Rathburn Road and the Grantor's westerly line to the principle place of beginning and containing within said bounds 99.349 acres of land, more or less, and subject to all legal highways and easements of record.

Continued on Page 2

Page 2 (Description of 99.349 ac.)

This description was prepared from a survey made by Jason J. Lingenfelter, P.S. #8499 of Lingenfelter Surveying, LLC in April of 2024.

All rebars set are 5/8"diameter by 30" long with plastic cap stamped "LINGENFELTER".

Basis of bearing: The bearings as shown hereon are relative to GRID NORTH of the OHIO STATE PLANE COORDINATE SYSTEM, NAD 83 (2011) DATUM.

See Wayne County Survey Records Volume XX; Page 169 for survey.

Jason J. Lingemelter, P

April 16, 2024

LINGENFELTER SURVEYING, LLC

PROFESSIONAL LAND SURVEYING

Boundary description of a 20.480 acre parcel:

24-003

Situated in the Township of Plain, T-19N; R-14W, Southwest Quarter of Section 3, County of Wayne, and State of Ohio:

Known as being the lands conveyed to James A. Mowrey by Official Record Volume 689; Page 188 of Wayne County Records and further bounded and described as follows:

Beginning at a stone guarded with a 5/8 inch rebar on it's east side being the southeast corner of the Southwest Quarter of Section 3;

THENCE WITH THE FOLLOWING FOUR (4) COURSES:

- 1. N 89° 52' 47" W, 1017.67 feet along the section line and the Grantor's southerly line to a 5/8 inch rebar with I.D. cap "Rudolph" found;
- 2. N 00° 24' 07" E, 948.59 feet along the Grantor's westerly line and the easterly line of the lands conveyed to Michele E. Bowers by Official Record Volume 132, Page 467 of Wayne County Records to a point in Old Lincoln Way, (County Road 30-A), witnessed by a 5/8 inch rebar with I.D. cap "Rudolph" found S 00° 24' 07" W, 33.35 feet;
- 3. S 81° 50' 53" E, 1026.50 feet along the Grantor's northerly line and with Old Lincoln Way to a 4 inch survey spike set on the quarter section line, in the intersection with Rathburn Road, (Township Road 107), and witnessed by a capped rebar set S 00° 21' 52" W, 30.00;
- 4. S 00° 21' 52" W, 805.16 feet along the quarter section line and the Grantor's easterly line to the principle place of beginning and containing within said bounds 20.480 acres of land, more or less, and subject to all legal highways and easements of record.

Continued on Page 2

Page 2 (Description of 20.480 ac.)

This description was prepared from a survey made by Jason J. Lingenfelter, P.S. #8499 of Lingenfelter Surveying, LLC in April of 2024.

All rebars set are 5/8"diameter by 30" long with plastic cap stamped "LINGENFELTER".

Basis of bearing: The bearings as shown hereon are relative to GRID NORTH of the OHIO STATE PLANE COORDINATE SYSTEM, NAD 83 (2011) DATUM.

See Wayne County Survey Records Volume XX; Page 769 for survey.

Jason J. Lingenfelter, 5.5. #8499

April 16, 2024

Deed Report

Tue Apr 16 08:50:01 2024

Deed Name: 99.349

Starting Coordinates: Northing 0.000, Easting 0.000

Distance Units: Feet

Bearing Distance Description

S 89°38'36" E 2117.690 S 00°17'08" W 2186.740 N 81°52'55" W 2140.260 N 00°21'52" E 1897.710

Ending Coordinates: Northing 0.009, Easting 0.008

Area: 4327627.58 S.F., 99.3487 Acres Total Perimeter Distance: 8342.400

Closure Error Distance: 0.012 Error Bearing: N 42°32'47" E

Closure Precision: 1 in 667912.6

Deed Report

Tue Apr 16 08:47:01 2024

Deed Name: 20.480

Starting Coordinates: Northing 0.000, Easting 0.000

Distance Units: Feet

Bearing Distance Description

N 89°52'47" W 1017.670 N 00°24'07" E 948.590 S 81°50'53" E 1026.500 S 00°21'52" W 805.160

Ending Coordinates: Northing 0.003, Easting -0.007

Area: 892105.31 S.F., 20.4799 Acres Total Perimeter Distance: 3797.920

Closure Error Distance: 0.007 Error Bearing: N 67°12'20" W

Closure Precision: 1 in 510153.0