

BOUNDARY DESCRIPTION
23.858 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast and southeast quarters of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found on the line between Plain Township and Chester Township marking the northeast corner of Section 6.

Thence S 88° 25' 48" W 455.89 feet, along the township line, to a stone monument found at the northwest corner of Eldon Jr. Cherry, et al. as described in official record volume 894, page 3599.

Thence S 00° 17' 26" W 826.00 feet, along a westerly line of Cherry, to a capped pin set at the **Point of Beginning** for the parcel herein described.

Thence with the following SIX courses:

- 1) **S 00° 17' 26" W 1576.37 feet**, along a westerly line of Cherry and the extension thereof, to a point in Old Lincoln Way (County Road 30A) – witnessed by a capped reference pin marked "Jim Shamp" found N 00° 17' 26" E 66.93 feet.
- 2) **N 85° 41' 26" W 216.68 feet**, in Old Lincoln Way and along the north line of Gary K. and Stacie M. Schafer as described in official record volume 886, page 968 and the extension thereof, to the northwest corner of Nicholas W. and Carrie B. Franks as described in official record volume 866, page 2365 – witnessed by a capped reference pin found S 00° 30' 48" E 40.00 feet.
- 3) **N 85° 35' 12" W 483.51 feet**, in Old Lincoln Way and along a northerly line of Cory D. and Allisha M. Morris as described in official record volume 887, page 4013, to a point – witnessed by a capped reference pin set N 00° 43' 36" E 28.25 feet.
- 4) **N 00° 43' 36" E 1513.31 feet** to a capped pin set.
- 5) **N 14° 23' 48" W 42.69 feet** to a capped pin set.
- 6) **S 87° 28' 40" E 669.35 feet** to the **Point of Beginning.**

This parcel contains 23.858 acres; of which 23.312 acres lie in the northeast quarter and 0.546 acres lie in the southeast quarter of Section 6.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R.W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume XX, page 710.

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

Edward A. Gasbarre 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOBS\2K23\Job155\Redick 23.858 Ac Legal.docx



BOUNDARY DESCRIPTION
24.642 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast quarter of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found on the line between Plain Township and Chester Township marking the northeast corner of Section 6.

Thence S 88° 25' 48" W 455.89 feet, along the township line, to a stone monument found at the northwest corner of Eldon Jr. Cherry, et al. as described in official record volume 894, page 3599, the **Point of Beginning** for the parcel herein described.

Thence with the following SEVEN courses:

- 1) **S 00° 17' 26" W 826.00 feet**, along a westerly line of Cherry, to a capped pin set.
- 2) **N 87° 28' 40" W 1394.62 feet** to a point in Elyria Road (County Road 149) – witnessed by a capped reference pin set S 87° 28' 40" E 24.73 feet.
- 3) **N 14° 39' 37" W 362.48 feet**, in Elyria Road, to a one inch diameter steel pipe found at the southwest corner of John W. Jr. and Elizabeth E. Copus as described in official record volume 611, page 1799 – witnessed by a capped reference pin set N 89° 09' 28" E 25.30 feet.
- 4) **N 89° 09' 28" E 230.46 feet**, along the south line of Copus, to a one inch diameter steel pipe found.
- 5) **N 14° 36' 20" W 400.00 feet**, along the easterly line of Copus and the extension thereof, to a point on the township line – witnessed by a one inch diameter steel pipe found S 14° 36' 20" E 0.24 feet.
- 6) **N 89° 06' 42" E 1158.86 feet**, along the township line, to a capped pin marked "SJL" found at the southeast corner of Section 31, Chester Township.
- 7) **N 88° 25' 48" E 200.98 feet**, along the township line, to the **Point of Beginning.**

This parcel contains 24.642 acres.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R.W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume **XX**, page **710**.

All bearings are related and based on the north line of the quarter section according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOBS\2K23\Job155\Redick 24.642 Ac Legal.docx



BOUNDARY DESCRIPTION
22.738 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast and southeast quarters of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found on the line between Plain Township and Chester Township marking the northeast corner of Section 6.

Thence S 88° 25' 48" W 455.89 feet, along the township line, to a stone monument found at the northwest corner of Eldon Jr. Cherry, et al. as described in official record volume 894, page 3599.

Thence S 00° 17' 26" W 826.00 feet, along a westerly line of Cherry, to a capped pin set.

Thence N 87° 28' 40" W 669.35 feet to a capped pin set at the **Point of Beginning** for the parcel herein described.

Thence with the following NINE courses:

- 1) **S 14° 23' 48" E 42.69 feet** to a capped pin set.
- 2) **S 00° 43' 36" W 1513.31 feet** to a point in Old Lincoln Way (County Road 30A) on a northerly line of Cory D. and Allisha M. Morris as described in official record volume 887, page 4013 – witnessed by a capped reference pin set N 00° 43' 36" E 28.25 feet.
- 3) **N 85° 35' 12" W 28.95 feet**, along the north line of Morris and in Old Lincoln Way, to a capped pin marked "Jim Shamp" found – witnessed by a one inch diameter crimped steel reference pipe found S 00° 21' 07" E 70.52 feet
- 4) **S 00° 21' 07" E 298.10 feet**, along a westerly line of Morris, to a capped pin marked "Jim Shamp" found.
- 5) **S 89° 21' 12" W 346.09 feet**, along a northerly line of Morris, to a point in Elyria Road (County Road 149) – witnessed by a capped reference pin marked "Jim Shamp" found N 89° 21' 12" E 30.00 feet.
- 6) **N 08° 02' 45" W 300.04 feet**, in Elyria Road, to a point in the intersection of Old Lincoln Way – witnessed by a capped reference pin set N 49° 38' 17" W 53.98 feet.

- 7) N 09° 35' 21" W 1256.86 feet, in Elyria Road, to a point – witnessed by a capped reference pin set S 80° 24' 39" W 29.85 feet.
- 8) N 14° 39' 37" W 361.62 feet, in Elyria Road, to a point – witnessed by a capped reference pin set S 87° 28' 40" E 24.73 feet.
- 9) S 87° 28' 40" E 725.27 feet to the **Point of Beginning**.

This parcel contains 22.738 acres; of which 20.232 acres lie in the northeast quarter and 2.506 acres lie in the southeast quarter of Section 6.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R.W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume XX, page 710

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOB5\2K23\Job155\Redick 22.738 Ac Legal.docx



BOUNDARY DESCRIPTION

4.804 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast quarter of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found marking the center of Section 6.

Thence N 00° 03' 26" E 1519.53 feet, along the west line of the quarter section, to a capped pin set at the **Point of Beginning** for the parcel herein described.

Thence with the following FOUR courses:

- 1) **N 00° 03' 26" E 231.31 feet**, along the west line of the quarter section, to a capped pin marked "SJL" found.
- 2) **S 89° 46' 04" E 786.19 feet**, along the south line of Fair View Farm LLC as described in official record volume 818, page 1581, to a point in Elyria Road (County Road 149) – witnessed by a 5/8 inch diameter steel reference pin found N 89° 46' 04" W 30.00 feet.
- 3) **S 14° 39' 37" E 289.09 feet**, in Elyria Road, to a point – witnessed by a capped reference pin set N 86° 34' 04" W 25.34 feet.
- 4) **N 86° 34' 04" W 861.13 feet** to the **Point of Beginning**.

This parcel contains 4.804 acres.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R.W. Gasbarre & Associates, Inc.

A copy of that survey is on file at the Wayne County map office. See survey volume ~~XX~~, page 710

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

Edward A. Gasbarre 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOB\S2K23\Job155\Redick 4.804 Ac Legal.docx



BOUNDARY DESCRIPTION
5.370 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast quarter of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found marking the center of Section 6.

Thence N 00° 03' 26" E 1288.29 feet, along the west line of the quarter section, to a 3/4 inch diameter steel pin found at a northwesterly corner of Mathew C. and Shanna J. Redick as described in official record volume 944, page 3746, the **Point of Beginning** for the parcel herein described.

Thence with the following SIX courses:

- 1) **N 00° 03' 26" E 231.24 feet**, along the west line of the quarter section, to a capped pin set.
- 2) **S 86° 34' 04" E 861.13 feet** to a point in Elyria Road (County Road 149) – witnessed by a capped reference pin set N 86° 34' 04" W 25.34 feet.
- 3) **S 14° 39' 37" E 214.96 feet**, in Elyria Road, to a point – witnessed by a capped reference pin set S 80° 24' 39" W 29.85 feet.
- 4) **S 09° 35' 21" E 74.04 feet**, in Elyria Road, to a point – witnessed by a capped reference pin set N 85° 27' 39" W 26.48 feet.
- 5) **N 85° 27' 39" W 510.16 feet** to a 5/8 inch diameter steel pin found at the northeast corner of said Mathew C. and Shanna J. Redick.
- 6) **N 81° 42' 31" W 422.40 feet**, along a northerly line of Redick, to the **Point of Beginning.**

This parcel contains 5.370 acres.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R.W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume XX, page 710.

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

Edward A. Gasbarre 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOB\2K23\Job155\Redick 5.370 Ac Legal.docx



BOUNDARY DESCRIPTION
12.943 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast quarter of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found marking the center of Section 6.

Thence N 00° 03' 26" E 1288.29 feet, along the west line of the quarter section, to a 3/4 inch diameter steel pin found at a northwesterly corner of Mathew C. and Shanna J. Redick as described in official record volume 944, page 3746.

Thence S 81° 42' 31" E 422.40 feet, along a northerly line of Redick, to a 5/8 inch diameter steel pin found at the **Point of Beginning** for the parcel herein described.

Thence with the following SEVEN courses:

- 1) **S 85° 27' 39" E 510.16 feet** to a point in Elyria Road (County Road 149) – witnessed by a capped reference pin set N 85° 27' 39" W 26.48 feet.
- 2) **S 09° 35' 21" E 1182.82 feet**, in Elyria Road, to a point in the intersection of Old Lincoln Way (County Road 30A) – witnessed by a capped reference pin set N 49° 38' 17" W 53.98 feet.
- 3) **N 83° 42' 58" W 153.88 feet**, in Old Lincoln Way, to a point – witnessed by a capped reference pin set N 13° 42' 12" E 29.40 feet.
- 4) **N 76° 17' 48" W 156.88 feet**, in Old Lincoln Way, to the southeast corner of Uhler Allotment No. 1 as recorded in plat volume 9, page 439 - witnessed by a 3/4 inch diameter steel reference pin found N 05° 27' 18" W 31.77 feet.
- 5) **N 05° 27' 18" W 220.24 feet**, along the east line of the allotment, to a capped pin marked "SJL" found at the northeast corner of Lot 2.
- 6) **S 88° 59' 12" W 289.96 feet**, along the north line of the allotment, to a 3/4 inch diameter steel pin found at the northwest corner of Lot 1.

- 7) N 05° 26' 24" W 942.79 feet, along the east line of said Mathew C. and Shanna J. Redick, to the **Point of Beginning**.

This parcel contains 12.943 acres.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R. W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume **XX**, page **710**.

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.


Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOB5\2K23\Job155\Redick 12.943 Ac Legal.docx



BOUNDARY DESCRIPTION
9.358 Acres

Situated in the State of Ohio, County of Wayne, **Township of Plain** in the **northeast and southeast quarters of Section 6, T-19N, R-14W.**

Being part of the land described in a deed to **Michael J. and Lydia A. Redick** recorded in official record volume 919, page 2422 of the Wayne County records.

Described as follows:

Commencing at a stone monument found marking the center of Section 6.

Thence N 88° 59' 01" E 134.07 feet, along the quarter section line, to a 3/4 inch diameter steel pipe found at the **Point of Beginning** for the parcel herein described.

Thence with the following SEVEN courses:

- 1) **N 00° 03' 08" E 239.67 feet**, along a westerly line of Redick, to a point in Old Lincoln Way (County Road 30A) – witnessed by a capped reference pin marked "SJL" found S 00° 03' 08" W 30.00 feet.
- 2) **S 76° 17' 02" E 399.35 feet**, in Old Lincoln Way and along a southerly line of Mathew C. and Shanna J. Redick as described in official record volume 944, page 3746, to the southeast corner thereof – witnessed by a 3/4 inch diameter steel reference pin found N 05° 26' 24" W 31.73 feet.
- 3) **S 76° 17' 48" E 462.96 feet**, in Old Lincoln Way and along a northerly line of Michael J. and Lydia A. Redick as described in official record volume 919, page 2422 and the extension thereof, to a point – witnessed by a capped reference pin set N 13° 42' 12" E 29.40 feet.
- 4) **S 83° 42' 58" E 153.88 feet**, in Old Lincoln Way, to a point in the intersection of Elyria Road (County Road 149) – witnessed by a capped reference pin set N 49° 38' 17" W 53.98 feet.
- 5) **S 08° 02' 45" E 300.04 feet**, in Elyria Road, to the northeast corner of Weaver Farms Land, LLC as described in official record volume 939, page 3731 – witnessed by a capped reference pin marked "Jim Shamp" found S 89° 21' 12" W 30.00 feet.
- 6) **S 89° 21' 12" W 1032.95 feet**, along the north line of Weaver Farms Land, LLC, to a 5/8 inch diameter steel pin found.

- 7) **N 00° 00' 19" W 290.28 feet**, along a westerly line of said Michael J. and Lydia A. Redick, to the **Point of Beginning**.

This parcel contains 9.358 acres; of which 6.819 acres lie in the southeast quarter and 2.539 acres lie in the northeast quarter of Section 6.

Prior Instrument: official record volume 919, page 2422.

Permanent Parcel #: part of 42-00249.000

This description was prepared by Edward A. Gasbarre, P.S. 7036, from information contained in a survey made under his direction, in February 2024, on behalf of R. W. Gasbarre & Associates, Inc. A copy of that survey is on file at the Wayne County map office. See survey volume **XX**, page **710**.

All bearings are related and based on the north line of the quarter section, according to record survey WW-855.

All capped pins, both set and found, are 5/8 inch diameter solid steel rods with identification caps marked "GASBARRE WOOSTER, OHIO" unless otherwise noted.

 2/26/24

Edward A. Gasbarre, P.S. 7036

H:\ADAT4\AJOB5\2K23\Job155\Redick 9.358 Ac Legal.docx



Redick Closure Report 223155

Lot Closure Report - Lot : 24.642 Ac
 =====

file- H:\ADAT4\AJOB5\2K23\Job155\223155.ms\lc_24.642 Ac.txt
 Monday, February 19, 2024, 4:21:42p.m.

Starting location (North, East) = (11015.491, 5649.461)

(In the table below, the Length of Curves refers to the chord length.
 and the Bearing of Curves refers to the chord bearing.)

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|----------|-------|--------------|-------------|
| 1 | Line | S00°17'26"W | 826.000 | No | 10189.502 | 5645.272 |
| 2 | Line | N87°28'40"W | 1394.620 | No | 10250.874 | 4252.003 |
| 3 | Line | N14°39'37"W | 362.480 | No | 10601.553 | 4160.264 |
| 4 | Line | N89°09'28"E | 230.460 | No | 10604.941 | 4390.699 |
| 5 | Line | N14°36'20"W | 400.000 | No | 10992.015 | 4289.834 |
| 6 | Line | N89°06'42"E | 1158.860 | No | 11009.981 | 5448.554 |
| 7 | Line | N88°25'48"E | 200.980 | No | 11015.488 | 5649.459 |

Ending location (North, East) = (11015.488, 5649.459)

Total Distance : 4573.400
 Total Traverse Stations : 8
 Misclosure Direction : N28°40'27"E (from ending location to starting location)
 Misclosure Distance : 0.003
 Error of Closure : 1:1312455.1
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 1073407.249 sq. ft. (straight segment added to close
 traverse)

= 24.642040 Acres

Lot Closure Report - Lot : 23.858 Ac
 =====

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|----------|-------|--------------|-------------|
| 1 | Line | S00°17'26"W | 1576.370 | No | 8613.152 | 5637.278 |
| 2 | Line | N85°41'26"W | 216.680 | No | 8629.434 | 5421.210 |
| 3 | Line | N85°35'12"W | 454.560 | No | 8664.413 | 4967.998 |
| 4 | Line | N00°43'36"E | 1513.310 | No | 10177.601 | 4987.191 |
| 5 | Line | N14°23'48"W | 42.690 | No | 10218.951 | 4976.576 |
| 6 | Line | S87°28'40"E | 669.350 | No | 10189.495 | 5645.278 |

Ending location (North, East) = (10189.495, 5645.278)

Total Distance : 4472.960
 Total Traverse Stations : 7
 Misclosure Direction : N41°09'14"W (from ending location to starting location)
 Misclosure Distance : 0.009
 Error of Closure : 1:472696.5
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 1039256.177 sq. ft. (straight segment added to close
 traverse)

= 23.858039 Acres

Lot Closure Report - Lot : 22.738 AC

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|----------|-------|--------------|-------------|
| 1 | Line | N85°35'12"W | 28.950 | No | 8666.641 | 4939.134 |
| 2 | Line | S00°21'07"E | 298.100 | No | 8368.546 | 4940.965 |
| 3 | Line | S89°21'12"W | 346.090 | No | 8364.640 | 4594.897 |
| 4 | Line | N08°02'45"W | 300.040 | No | 8661.727 | 4552.902 |
| 5 | Line | N09°35'21"W | 1256.860 | No | 9901.025 | 4343.531 |
| 6 | Line | N14°39'37"W | 361.620 | No | 10250.872 | 4252.010 |
| 7 | Line | S87°28'40"E | 725.270 | No | 10218.955 | 4976.577 |
| 8 | Line | S14°23'48"E | 42.690 | No | 10177.606 | 4987.191 |
| 9 | Line | S00°43'36"W | 1513.310 | No | 8664.418 | 4967.999 |

Ending location (North, East) = (8664.418, 4967.999)

Total Distance : 4872.930
 Total Traverse Stations : 10
 Misclosure Direction : S10°47'32"W (from ending location to starting location)
 Misclosure Distance : 0.005
 Error of Closure : 1:1009135.8
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 990449.521 sq. ft. (straight segment added to close traverse)

= 22.737592 Acres

Lot Closure Report - Lot : 9.358 Ac

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|----------|-------|--------------|-------------|
| 1 | Line | S89°21'12"W | 1032.950 | No | 8352.982 | 3562.013 |
| 2 | Line | N00°00'19"W | 290.280 | No | 8643.262 | 3561.986 |
| 3 | Line | N00°03'08"E | 239.670 | No | 8882.932 | 3562.205 |
| 4 | Line | S76°17'02"E | 399.350 | No | 8788.241 | 3950.166 |
| 5 | Line | S76°17'48"E | 462.960 | No | 8678.569 | 4399.948 |
| 6 | Line | S83°42'58"E | 153.880 | No | 8661.726 | 4552.904 |
| 7 | Line | S08°02'45"E | 300.040 | No | 8364.639 | 4594.899 |

Ending location (North, East) = (8364.639, 4594.899)

Total Distance : 2879.130
 Total Traverse Stations : 8
 Misclosure Direction : N63°50'17"W (from ending location to starting location)
 Misclosure Distance : 0.002
 Error of Closure : 1:1569961.7
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 407644.285 sq. ft. (straight segment added to close traverse)

= 9.358225 Acres

Lot Closure Report - Lot : 12.943 Ac

=====

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|----------|-------|--------------|-------------|
| 1 | Line | N83°42'58"W | 153.880 | No | 8678.569 | 4399.948 |
| 2 | Line | N76°17'48"W | 156.880 | No | 8715.733 | 4247.534 |
| 3 | Line | N05°27'18"W | 220.240 | No | 8934.975 | 4226.597 |
| 4 | Line | S88°59'12"W | 289.960 | No | 8929.847 | 3936.682 |
| 5 | Line | N05°26'24"W | 942.790 | No | 9868.391 | 3847.303 |
| 6 | Line | S85°27'39"E | 510.160 | No | 9828.017 | 4355.862 |
| 7 | Line | S09°35'21"E | 1182.820 | No | 8661.724 | 4552.899 |

Ending location (North, East) = (8661.724, 4552.899)

Total Distance : 3456.730
 Total Traverse Stations : 8
 Misclosure Direction : N62°51'06"E (from ending location to starting location)
 Misclosure Distance : 0.005
 Error of Closure : 1:712216.6
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 563799.187 sq. ft. (straight segment added to close traverse)

= 12.943048 Acres

Lot Closure Report - Lot : 5.370 Ac

=====

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|---------|-------|--------------|-------------|
| 1 | Line | N85°27'39"W | 510.160 | No | 9868.391 | 3847.303 |
| 2 | Line | N81°42'31"W | 422.400 | No | 9929.304 | 3429.318 |
| 3 | Line | N00°03'26"E | 231.240 | No | 10160.544 | 3429.549 |
| 4 | Line | S86°34'04"E | 861.130 | No | 10108.990 | 4289.134 |
| 5 | Line | S14°39'37"E | 214.960 | No | 9901.029 | 4343.538 |
| 6 | Line | S09°35'21"E | 74.040 | No | 9828.023 | 4355.871 |

Ending location (North, East) = (9828.023, 4355.871)

Total Distance : 2313.930
 Total Traverse Stations : 7
 Misclosure Direction : S54°33'38"W (from ending location to starting location)
 Misclosure Distance : 0.011
 Error of Closure : 1:208802.5
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 233935.042 sq. ft. (straight segment added to close traverse)

= 5.370410 Acres

Lot Closure Report - Lot : 4.804 Ac

=====

| Leg | Segment | Bearing | Length | Front | End_Northing | End_Easting |
|-----|---------|-------------|---------|-------|--------------|-------------|
| 1 | Line | N86°34'04"W | 861.130 | No | 10160.544 | 3429.549 |
| 2 | Line | N00°03'26"E | 231.310 | No | 10391.854 | 3429.780 |
| 3 | Line | S89°46'04"E | 786.190 | No | 10388.668 | 4215.963 |
| 4 | Line | S14°39'37"E | 289.090 | No | 10108.989 | 4289.128 |

Ending location (North, East) = (10108.989, 4289.128)

Total Distance : 2167.720
 Total Traverse Stations : 5
 Misclosure Direction : N81°31'13"E (from ending location to starting location)
 Misclosure Distance : 0.006
 Error of Closure : 1:366825.7
 Frontage : 0.000
 Frontage/Perimeter : 0.0 percent
 AREA : 209242.695 sq. ft. (straight segment added to close
 traverse)

= 4.803551 Acres